


The Best Choice of PTZ cameras

The World's First One of 16 channels

Real-time Display DVR



using Embedded Linux



Feature

- **Stability**
Using Embedded Linux OS, System won't crash due to the HDD failure
- **Easy**
*System on Chip, No installation needed
System auto detect new HDD, auto initial, auto format.*
- **Lead**
16 channels Real Time Display, the best choice of PTZ cameras
- **Innovation**
*Provide PSTN, LAN, Internet Connection
Remote Side Display, Control, Play Back, Export, PTZ Control
Provide Multi Users Remote Access at the Same Time
Support Virtual Server*
- **Cost Effective**
High Image Compression, Save HDD Capacity
- **High Performance**
Display, Record, Playback at the Same Time in One Screen
- **Easy**
*Windows-like GUI,
Remote Side using IE6 Browsers, No Extra Application needed*
- **Security**
*No Virus Infected Concern
Provide System logs & User Access Control*

Specification

<i>Product</i>	DVR-SOHO	DVR-PRO
<i>Photo</i>		
<i>Screen Division</i>	1/4/8 displays	1/4/9/16 displays
<i>Video Input</i>	4/8 BNC input connectors for Camera	4/8/16 BNC input connectors for Camera
<i>Storage</i>	40 / 60 / 80 /100 / 120 / 160 GB	PRO : 40 ~ 160 GB PRO6: 6HDDs up to 960GB PRO.Bank:Hot-Swap RAID5 up to 600GB
<i>OS</i>	64MB Embedded Linux Operation System in Flash ROM	
<i>Image Display Resolution</i>	NTSC 320 x 240 , 640 x 480 pixels PAL 360 x 288 , 720 x 576 pixels	
<i>Image Record Resolution</i>	NTSC 320 x 240 pixels , 640x480 pixels PAL 360x 288 pixels , 720 x 576 pixels	
<i>Image Display Speed</i>	NTSC Total 480 frames PAL Total 400 frames	
<i>Image Record Speed</i>	Total 100~120 frames	
<i>Record Mode</i>	Continuous, Subscribe, Motion Detection	
<i>Image Record Quality</i>	4 Quality levels, Low/Medium/High/Best	
<i>Image record Method</i>	Cycle record mode Stop recording	
<i>Motion Detection</i>	50 levels, Up to 6 areas Setup for each Channel	
<i>Image Search Method</i>	By Time / Date/ CCD / Alarm / Label	
<i>Image Backup</i>	Floppy Diskette / USB Interface Storage / Network Storage / CD-RW	
<i>Remote Connection</i>	PSTN / LAN / Internet	
<i>Access Control</i>	System Admin / Local User / Remote User	
<i>Alarm Notification</i>	Border Blinking / Alarm Message / Alarm Beep / Recording / Pager / FAX / Voice	
<i>Audio</i>	Output for Alarm	
<i>PTZ</i>	Up/Down , Left/Right , Zoom In/Out , Focus , IRIS , PAN	
<i>Other</i>	Watch Dog	
<i>Dimension</i>	W90*H320*D420(mm)	W430*H175*D510(mm)
<i>Hardware Specification</i>	CPU: Celeron 2Ghz / DDR 128MB / LAN / CD-RW / FDD	

