

## A Health and Safety Guideline for Your Workplace

# How to Conduct Workplace Inspections

#### What is a Workplace Inspection?

A workplace inspection is a planned walk-through of a workplace or selected areas or locations of a workplace. Inspections are needed to critically examine all factors (equipment, processes, materials, buildings, procedures) that have the potential to cause injury or illness, and to identify where action is necessary to control hazards. A schedule of planned inspections is an essential element of a health and safety program in which standards are established and compliance monitored.

#### Who should Conduct Inspections?

Ontario's Occupational Health and Safety Act places responsibility on a worker health and safety representative to conduct an inspection of physical conditions. However, the employer still has the prime responsibility for providing a healthy and safe workplace. The implementation of effective and regular inspections is one way in which an employer's general legal duties may be met. However, a joint inspection, consisting of both management and worker representatives, would be in keeping with the participative approach of the Act.

# How often should Inspections be Conducted?

The worker health and safety representative must inspect the workplace at least once a month. However, if this is not practical, he or she shall inspect the physical condition of the workplace at least once a year, inspecting at least a part of it every month. The inspection must be conducted according to a schedule set by the joint health and safety committee or, in smaller workplaces of 6 to 19 employees, by the employer and health and safety representative. In drawing up the schedule, consider:

- ž the number of different processes or operations;
- hazardous equipment that must be inspected at set intervals and, in some cases, as determined by legislation (for example, cranes and slings);
- processes with high hazard potential that may require separate and more frequent inspections;

- ż the number of shifts inspections should not be confined only to one particular shift because the nature of the activity may vary from one shift to another:
- z special inspections whenever a new process or piece of machinery is introduced into the workplace.

#### **Preparing for the Inspection**

The success of workplace inspections depends on having the necessary information. There should also be an overall system of management controls which is flexible enough to allow for changes to be made, for example in equipment or work practices, when needed.

To properly identify hazards, the person or persons conduction the inspection should have the necessary training, which should include:

- ž the plant layout a floor plan is helpful in preparing for the inspection, and recording findings;
- ž the potential hazards associated with the various machinery, equipment, materials, and processes;
- ž existing controls, applicable standards and regulations;
- ž how to use the information from:
  - Ministry of Labour inspection reports/orders;
  - results of previous inspections;
  - accident data;
  - maintenance reports.

#### **Conducting the Inspection**

To ensure that all items are covered during the inspection, it is useful to develop checklists which contain reference, in point form, to all potential hazards. These checklists should never be considered as permanent lists. They should be reviewed and added to or revised as necessary – for example, when machinery or processes are changed or when accident experience reveals previously unsuspected hazards. Figure 1 is a sample checklist for hazardous materials. In addition to Hazardous Materials, the checklist should include references to the hazards of Equipment and Machinery (tools, machinery and guarding, materials handling equipment) and Physical Factors (floors, exits, lighting, work station layout, task design, noise).

#### **Recording Observation**

It is necessary to review all the information collected and rank each issue in terms of its importance. All identified hazards should be classified A, B, or C, as follows:

#### ¿ Class A Hazard

A condition or practice likely to cause permanent disability, loss of life or body part, and/or extensive loss of structure, equipment or material. For example, an unguarded saw.

#### ž Class B Hazard

A condition or practice likely to cause serious injury or illness, resulting in temporary disability or property damage that is disruptive but not extensive. For example, spilled oil on the main aisle.

#### z Class C Hazard

A condition or practice likely to cause minor, non-disabling injury or illness, or non-disruptive property damage. For example, handling solvents without using proper protective gloves.

Although the law does not specify an official reporting form, a good form is valuable in ensuring that management, and others responsible for follow up, are made aware of problems. Such a form can also serve as a valuable reference for spot inspections and periodic checks by the supervisor, as well as for review by the joint health and safety committee. The sample Workplace Inspection Recording Form in Figure 2 is available from IAPA It allows for recording observations made during the inspection, as well as for noting recommendations and subsequent corrective actions.

#### Review/Follow Up

After each inspection, it is important that the information obtained is given careful consideration and, where indicated, corrective action taken. The results of inspections are indicators of the success or failure of management policies and practices and should be examined for possible changes. Although all identified hazards should ultimately be eliminated or minimized, the responsible supervisor or manager must be informed of hazards posing an immediate danger so that corrective action can be taken quickly.

The information obtained from regular inspections should also be reviewed carefully to identify trends and to help monitor the effectiveness of a company's health and safety program. Over a period of time, this review will help:

ž highlight the need for training in certain areas;

- ž provide insight as to why accidents are occurring in certain areas;
- ž establish priorities for corrective action;
- ž establish or improve safe work practices;
- ž indicate areas, equipment, etc., which may require more in-depth hazard analysis.

#### **Resource Materials**

#### **Ontario Ministry of Labour**

- Ž Occupational Health and Safety Act and Regulations for Industrial Establishments.
- ž A Guide to the Occupational Health and Safety Act [ISBN 0-7729-7370-9]
- ž A Guide for Joint Health and Safety Committees and Representatives in the Workplace [ISBN 0-7729-7817-4]

To order MOL publications, contact: Publications Ontario at (416) 326-5300 or toll-free 1-800-668-9938.

#### **Industrial Accident Prevention Association**

- A Guide to Ontario's Occupational Health and Safety Act
- Inspecting Your Workplace: A Guide for Manufacturers
- ž Workplace Inspection Recording Form
- ž Chemical Control Program Guide

### Figure 1

### **Sample Checklist for Hazardous Materials**

	Observations/Comments
Identification	
<ul> <li>Containers labelled to meet legal requirements?</li> <li>Labels easy to read?</li> <li>Material safety data sheets (MSDSs) available, Current and complete?</li> </ul>	
Preventive Measures Ventilation	
<ul> <li>Ventilation adequate?</li> <li>(Evidence of dust, fumes, etc. may be caused by inadequate or malfunction ventilation.)</li> </ul>	
Handling Procedures and Equipment	
<ul> <li>Handling procedures adequate and followed?</li> <li>Industrial hygiene facilities provided? (for example, locker rooms, showers, laundry facilities, etc.)</li> </ul>	
" Eating/drinking on job prohibited where swallowing	
the material may be a problem? "No Smoking" signs posted near flammables/combustibles?	
Leaks and Spills	
<ul><li>Evidence of leaks or spills?</li><li>Cleaning procedures adequate and followed?</li></ul>	
Waste Disposal	
" Waste disposal procedures adequate and followed?	
Storage	
" Storage conditions adequate?	
" Safety containers for flammable liquids?	
PPE	
<ul> <li>" Personal protective equipment (PPE) adequate and used?</li> <li>- Gloves</li> <li>- Respirators</li> <li>- Eye Protection</li> <li>- Footwear</li> </ul>	
- Other	

Figure 2
Workplace Inspection Recording Form

TIME OF INSPECTION:		FOR FOLLOW-UP	AUTHORIZED TED SIGNATURE		
			COMPLETED		
	DATE OF INSPECTION:		ACTION TAKEN		
	DATE OF		BY WHOM WHEN	INSPECTED BY:	I
INSPECTION LOCATION(S):			RECOMMENDED ACTION	SNI	
			REPEAT ITEM YES NO		
	S COVERED:		HAZARD CLASS		
			HAZARDS OBSERVED	ON):	
	INSPECTION LOCATIOI	DEPARTMENTS/AREAS COVERED: _		ITEM (and location of item):	COPIES TO: (FOR ACTION):_

**How to Conduct Workplace Inspections** is one in a series of guidelines designed to help you with your health and safety program. Other guidelines in this series on **Program Development** are:

- ž Induction Training
- ž Planned Accident Prevention
- ž Injury Reporting Procedures
- ž First Aid

For more information about these guidelines or to order, call 1 (800) 406-IAPA (4272).

# © THE INDUSTRIAL ACCIDENT PREVENTION ASSOCIATION, 2000

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopied, recorded or otherwise, without the prior written permission of the Industrial Accident Prevention Association.

The information contained in this reference material is distributed as a guide only; it is generally current to the best of our knowledge as to the revision date, having been compiled from sources believed to be reliable and to represent the best current opinion on the subject. No warranty, guarantee, or representation is made by the IAPA as to the absolute correctness or sufficiency of any representation contained in this reference material and IAPA assumes no responsibility in connection therewith; nor can it be assumed that all acceptable safety and health measures are contained in this reference material, or that other or additional measures may not be required in particular or exceptional conditions

While IAPA does not undertake to provide a revision service or guarantee accuracy, we shall be pleased to respond to your individual requests for information at any time.

Printed in Canada Revised March 1993

ISBN 1-55127-108-7



# **Industrial Accident Prevention Association**

250 Yonge Street, 28th Floor Toronto, Ontario M5B 2N4 Telephone: (416) 506-8888 Toll-free: 1-800-406-IAPA (4272)

Fax: (416) 506-8880

